10		
Notice of Allowability	0/722,904	BIGELOW ET AL.
	xaminer	Art Unit
	obert P. Swiatek	3643
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS (OF herewith (or previously mailed), a Notice of Allowance (PTOL-85) or o NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGH of the Office or upon petition by the applicant. See 37 CFR 1.313 and	R REMAINS) CLOSED in this other appropriate communica ITS. This application is subje	application. If not included attorned attorned to the mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 14 June</u>	9 2006.	
2. The allowed claim(s) is/are <u>1-5</u> .		
 3. Acknowledgment is made of a claim for foreign priority under a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been as Copies of the priority documents have been as Copies of the certified copies of the priority documents have been as Copies of the certified copies of the priority documents have been as Copies of the certified copies of the priority documents have been as Copies	en received. en received in Application No)
Applicant has THREE MONTHS FROM THE "MAILING DATE" of the noted below. Failure to timely comply will result in ABANDONMEN' THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	his communication to file a re T of this application.	ply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submitted INFORMAL PATENT APPLICATION (PTO-152) which gives re	d. Note the attached EXAMIN eason(s) why the oath or dec	IER'S AMENDMENT or NOTICE OF laration is deficient.
 5. CORRECTED DRAWINGS (as "replacement sheets") must be (a) including changes required by the Notice of Draftsperson's 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's An Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(each sheet. Replacement sheet(s) should be labeled as such in the h 6. DEPOSIT OF and/or INFORMATION about the deposit of attached Examiner's comment regarding REQUIREMENT FOR 	s Patent Drawing Review (P mendment / Comment or in the c)) should be written on the drawader according to 37 CFR 1.1 of BIOLOGICAL MATERIA	ne Office action of awings in the front (not the back) of (21(d). AL must be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summ. Paper No./Mail 7. ☐ Examiner's Ame	Date

Application/Control Number: 10/722,904

Art Unit: 3643

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The claims in this

Page 2

application have been allowed because the prior art does not disclose a flexible restraint layer

including first and second circumferential strap assemblies disposed on and fastened to opposing

distal ends of a radial strap assembly; a plurality of axial straps having opposing loop ends; and

guides on the circumferential and radial strap assemblies receiving the axial straps, with the

flexible restraint layer being disposed substantially between the fore and aft assemblies of an

inflatable modular structure and covering an inflatable bladder. The enclosures of prior art

patents employ, for example, inflatable panels interlocked with helical coils; interconnected

pleated portions similar to air mattresses; and inflatable fabric structures forming chambers.

None have the particular structure as recited in claim 1 of the instant invention.

Any comments considered necessary by applicants must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

RPS: **©**571/272-6894

23 June 2006

Robert P. SWIATER
PRICES EXAMINER

ART UNIT 328 3643